Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	6	digital adj signal adj processor with audio adj signal same (separat\$3 split\$3 divid\$3) with (control near2 signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 10:02
L6	1603	home near2 theater near3 system	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 11:59
L7	13	home near2 theater near3 system and speaker and powerline	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 12:02
L9	137	home near2 theater near3 system and speaker and audio and video and cd and tv and vcr	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 12:03
L10	50	9 and @rlad<"20020130"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 12:04
S7	67	audio near2 signal same control near2 signal same receiver same combin\$3 near3 signal same (extract\$3 separat\$3) near4 signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 09:38
S8	1022	receiv\$3 near5 audio near2 signal near4 network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 09:40
S9	9	receiv\$3 near5 audio near2 signal near4 network same (extract\$3 separat\$3) near4 (audio same control) near2 signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 09:43

S10	12	receiv\$3 near5 audio near2 signal near4 network same (extract\$3 separat\$3) with (audio same	US-PGPUB; USPAT; USOCR;	OR	ON	2006/09/16 09:45
		control)	EPO; JPO; DERWENT; IBM_TDB			
S11	491	(extract\$3 separat\$3) near4 (audio with control) near4 signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 09:46
S12	509	(extract\$3 separat\$3 split\$4) near4 (audio with control) near4 signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 09:46
S13	45	S12 same network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 10:58
S14	207	audio adj signal same control adj signal same network same receiver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 11:17
S15	28	S14 and @rlad<"20020230"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 12:22
S18	27	combin\$3 near2 signal with audio adj2 signal with control adj2 signal same (transceiver receiver)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 11:35
S22	4575	audio adj2 signal and control adj2 signal and power adj2 supply and (receiver transceiver)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 12:11

		<u></u>	T		·	
S23	6	S22 and power adj2 switch near3 off adj state	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 12:13
S25	89	receiver with address near switch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 12:19
S26	6	receiver with address near2 switch with power near2 switch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 12:19
S27	10	S25 and @rlad<"20020230"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 12:47
S29	9	receiver with address near2 switch with select\$3 with (plurality many numerous various multiple) near3 address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 12:46
S32	7	select\$3 with (plurality many numerous various multiple) near3 address and home near3 theater	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 12:43
S33	85	address near2 switch with select\$3 with (plurality many numerous various multiple) near3 address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 12:46
S34	15	S33 and @rlad<"20020230"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 13:43

r	T			·		
S37	4	power near2 switch same off adj2 state same on adj2 state	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 12:54
538	316	power near3 switch same (off adj2 state(off\$state)) same (on adj2 state(on\$state))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 12:55
S40	6	power near3 switch same (off adj2 state(off\$state)) same (on adj2 state(on\$state)) same receiver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 12:57
S42	4	select\$3 near5 (off adj2 state(off\$state)) same (on adj2 state(on\$state)) same receiver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 12:59
S45	6	receiver near5 power near3 switch same off same on	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 13:03
S47	35	receiver near5 power near3 switch near6 select\$3 with off	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 13:08
S48	103	power adj3 switch adj6 select\$3 adj6 off	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 13:09
S50	4	power adj3 (switch button) adj6 select\$3 adj6 off same receiver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 13:10

S51	59	power adj3 (switch button) same select\$3 adj6 off same receiver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 13:11
S52	9	power adj3 (switch button) same select\$3 adj6 off same receiver same audio	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 13:12
S53	20	power adj3 (switch button) near4 audio near3 receiver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 13:14
S54	13	power near3 (switch button) with audio near3 receiver with off	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 13:16
S57	26	receiver with power near switch near5 select\$3 with off	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 13:21
S58	85	power near (switch button) adj5 (select\$3 choos\$3) adj7 off	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 13:24
S61	85	power near (switch button) adj5 (select\$3 choos\$3) adj7 off	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 13:26
S62	5	power near2 switch near3 configur\$3 with (select\$3 choos\$3) with off	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 13:42

S63	170	power near2 switch near4 configur\$3 with off	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 13:44
S65	46	S63 and @rlad<"20020230"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 14:57
S66	84	power near2 switch adj4 configur\$3 with off	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 13:44
S67	77	power adj2 switch adj4 configur\$3 with off	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 13:44
S70	71	amplif\$3 near4 audio adj signal and power near2 supply same emit\$4 near2 light	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 14:08
S71	7	amplif\$3 near4 audio adj signal and power near2 supply near6 emit\$4 near2 light	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 14:06
S73	16	amplif\$3 near4 audio adj signal and power near2 supply with emit\$4 near2 light	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 14:25
S75	195	amplif\$3 near4 audio adj signal and power\$3 same emit\$4 near2 light\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 14:29

S76	96	amplif\$3 near4 audio adj signal and power\$3 with emit\$4 near2 light\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 14:29
S77	46	amplif\$3 near4 audio adj signal and power\$3 with emit\$4 near2 light\$3 and receiver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 14:55
S78	362	digital near2 amplifier with amplif\$4 with audio near2 signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 14:56
S79	115	digital near2 amplifier near3 amplif\$4 near3 audio near2 signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/09/16 14:56
S80	13	S79 and @rlad<"20020230"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 14:59
S81	45	S78 and @rlad<"20020230"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 16:32
S83	10	combin\$3 near2 signal adj4 includ\$3 adj5 address near2 signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 15:08
S84	34	network near4 (power adj line and ((radio adj frequency)rf) and (infrared if))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 15:17

S87	7	control adj2 signal near4 (analog and digital and volume and balance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 15:19
S88	6	control adj2 signal near6 (analog and digital and volume and balance and fad\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 15:51
S89	3	control adj2 signal near6 (analog and digital and volume and balance and fad\$3 and sub\$bass)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2006/09/16 15:20
S90	3	control adj2 signal near4 (destination and sound near3 selection)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 15:56
S94	5	control adj2 signal near4 (destination and power adj off)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 16:03
S96	7	control adj2 signal near4 ((time and phase) near2 delay and address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 16:19
S97	71	control adj2 signal adj6 ((time and phase) near2 delay)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 16:27
S10 3	75	(control adj2 signal and audio adj signal) adj5 format	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 16:36

S10 4	32	S103 and @rlad<"20020230"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 16:32
S10 9	9	audio near2 signal with inter near3 sound near3 format	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 16:39
S11 1	65	audio near2 signal near5 sound near3 format	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 16:39
S11 2	36	audio near2 signal near3 sound near3 format	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 16:41
S11 3	9	audio near2 signal near4 ic near3 format	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 16:42